

Notified Body No. 2812

## Certificate of Constancy of Performance 2812-CPR-MA5003

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

### Heavy Duty Steel Doorset 50mm thick double leaf doorset

Intended use: External pedestrian panic/emergency exit doorsets

Essential characteristics	Performance	Harmonised technical specification
Ability to release	EN 1125 EN 179	EN 14351-1:2006 +A2:2016





Notified Body No. 2812

### Certificate of Constancy of Performance 2812-CPR-MA5003

Placed on the Market under the Name of:

Doors4security Ltd
Elizabeth Mill
Worrall Street
Congleton
Cheshire
CW12 1DT
United Kingdom

and produced in the manufacturing plant:

E013957-1 & E013957-2

This is coded format, and the information is held by the Notified Body.

This certificate attests that all provisions concerning the Assessment and Verification of Constancy of Performance described in Annex ZA of the standard(s):

EN 14351-1:2006 + A2:2016

Under System 1 for the performance set out in this certificate are applied and that the Factory Production Control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **03/11/2020** and reissued **28/05/2025** and will remain valid as long as neither the harmonised standard, the Construction Product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Notified Product Certification Body.

Valid to: 02/11/2026

ERO Project Reference: ERO 034621 P2206

Pascal Coget European Certification –General Manager



CSF408-NL 8.0



### Notified Body No. 2812

# Certificate of Constancy of Performance 2812-CPR-MA5003

#### Annex A

### **Approved Exit Devices EN1125**

Certificate of Constancy	Product Description			
of Performance				
2812-CPR-AAA019	Exidor			
	284, 285, 294, 296, 308, 309, 311, 316 & 317 Panic Exit Devices			
2812-CPR-AAA021	Exidor			
	400, 401, 402, 403, 404, 405, 416, 417, 418 & 419 Panic Exit			
	Devices			
2812-CPR-AAA022	Exidor			
	400, 401, 402, 403, 404, 405, 416, 417, 418, 419, 420, 421, TB450,			
/	TB451, TB452, TB453, TB454, TB455, TB466, TB467, TB468 &			
	TB469 Panic Exit Devices			
2812-CPR-AAA024	Exidor			
	701, 702, 703, 704, 742BD & 743BD Panic Exit Devices			

#### **Approved Exit Devices EN179**

Ce	ertificate of Constan	су	Product Description		
	of Performance	-			
	2812-CPR-ABB029		Exidor		
			293, 297, 307 & 310 Push Pad Range Emergency	y Exit Devi	ices
	2812-CPR-ABB032		Exidor		
			701L, 702L, 703L, 704L ,732L & 733L Lever Handle	Emergen	cy Exit
			Devices	- /	-

